

## BBX RABBIT PAB

**Cat.#:** S218354

**Product Name:** Anti-BBX Rabbit Polyclonal Antibody

**Synonyms:** HBP2; ARTC1; MDS001; HSPC339

**UNIPROT ID:** Q8WY36 (Gene Accession - BC131718 )

**Background:** Transcription factor that is necessary for cell cycle progression from G1 to S phase.

**Immunogen:** Fusion protein of human BBX

**Applications:** ELISA, IHC

**Recommended Dilutions:** IHC: 30-150; ELISA: 5000-10000

**Host Species:** Rabbit

**Clonality:** Rabbit Polyclonal

**Isotype:** Immunogen-specific rabbit IgG


**Purification:** Antigen affinity purification

**Species Reactivity:** Human


**Constituents:** PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

**Research Areas:** Epigenetics and Nuclear Signaling


**Storage & Shipping:** Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human esophagus cancer tissue using 218354(BBX Antibody) at a dilution of 1/35(Nucleus).



In comparison with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with the fusion protein and then with 218354(Anti-BBX Antibody) at dilution 1/35.



The image on the left is immunohistochemistry of paraffin-embedded Human prostate cancer tissue using 218354(Anti-BBX Antibody) at a dilution of 1/35.



In comparison with the IHC on the left, the same paraffin-embedded Human prostate cancer tissue is first treated with fusion protein and then with D224238(Anti-BBX Antibody) at dilution 1/35.