

## DOP1A RABBIT PAB

**Cat.#:** S220023

**Product Name:** Anti-DOP1A Rabbit Polyclonal Antibody

**Synonyms:** DOP1; DOPEY1; KIAA1117; dJ202D23.2

**UNIPROT ID:** Q5JWR5 (Gene Accession - NP\_055833.2 )

**Background:** May be involved in protein traffic between late Golgi and early endosomes.

**Immunogen:** Synthetic peptide of human DOP1A

**Applications:** ELISA, IHC

**Recommended Dilutions:** IHC: 25-100; ELISA: 1000-5000

**Host Species:** Rabbit

**Clonality:** Rabbit Polyclonal

**Isotype:** Immunogen-specific rabbit IgG


**Purification:** Antigen affinity purification

**Species Reactivity:** Human, Mouse


**Constituents:** PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

**Research Areas:** Signal Transduction


**Storage & Shipping:** Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human liver cancer tissue using 220023(DOPIA Antibody) at a dilution of 1/25(Cytoplasm).



In comparison with the IHC on the left, the same paraffin-embedded Human liver cancer tissue is first treated with the synthetic peptide and then with 220023(Anti-DOPIA Antibody) at dilution 1/25.



The image on the left is immunohistochemistry of paraffin-embedded Human lung cancer tissue using 220023(Anti-DOPIA Antibody) at a dilution of 1/25.



In comparison with the IHC on the left, the same paraffin-embedded Human lung cancer tissue is first treated with synthetic peptide and then with D260793(Anti-DOPIA Antibody) at dilution 1/25.