

FERD3L RABBIT PAB

Cat.#: S222030

Product Name: Anti-FERD3L Rabbit Polyclonal Antibody

Synonyms: PTFB; NATO3; NTWIST; N-TWIST; bHLHa31

UNIPROT ID: Q96RJ6 (Gene Accession - NP_690862)

Background: Transcription factor that binds to the E-box and functions as inhibitor of transcription. DNA binding requires dimerization with an E protein. Inhibits transcription activation by ASCL1/MASH1 by sequestering E proteins (By similarity).

Immunogen: Synthetic peptide of human FERD3L

Applications: ELISA, IHC

Recommended Dilutions: IHC: 50-300; ELISA: 5000-10000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG


Purification: Antigen affinity purification

Species Reactivity: Human


Constituents: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

Research Areas: Epigenetics and Nuclear Signaling


Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human colorectal cancer tissue using 222030 (FERD3L Antibody) at a dilution of 1/85 (Cytoplasm or Nucleus).



In comparison with the IHC on the left, the same paraffin-embedded Human colorectal cancer tissue is first treated with the synthetic peptide and then with 222030 (Anti-FERD3L Antibody) at dilution 1/85.



The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using 222030 (Anti-FERD3L Antibody) at a dilution of 1/85.



In comparison with the IHC on the left, the same paraffin-embedded Human esophagus cancer tissue is first treated with synthetic peptide and then with D263908 (Anti-FERD3L Antibody) at dilution 1/85.