

## GLUCOCORTICOID RECEPTOR RABBIT MAB

**Cat.#:** N262278

**Product Name:** Anti-Glucocorticoid Receptor Rabbit Monoclonal Antibody

**Synonyms:** GR; GCR; GRL; GCCR; GCRST

**UNIPROT ID:** P06537

**Background:** Receptor for glucocorticoids (GC). Has a dual mode of action: as a transcription factor that binds to glucocorticoid response elements (GRE), both for nuclear and mitochondrial DNA, and as a modulator of other transcription factors. Affects inflammatory responses, cellular proliferation and differentiation in target tissues. Involved in chromatin remodeling. Plays a role in rapid mRNA degradation by binding to the 5' UTR of target mRNAs and interacting with PNR2 in a ligand-dependent manner which recruits the RNA helicase UPF1 and the mRNA-decapping enzyme DCP1A, leading to RNA decay. Could act as a coactivator for STAT5-dependent transcription upon growth hormone (GH) stimulation and could reveal an essential role of hepatic GR in the control of body growth.

**Immunogen:** Recombinant protein of mouse Glucocorticoid Receptor

**Applications:** WB, ICC/IF

**Recommended Dilutions:** WB: 1/500-1/1000 IF: 1/50-1/200

**Host Species:** Rabbit

**Clonality:** Rabbit Monoclonal

**Clone ID:** R04-8C8

**MW:** Calculated MW: 87 kDa; Observed MW: 94,91 kDa

**Isotype:** IgG

**Purification:** Affinity Purified

**Species Reactivity:** Human, Mouse, Rat


**Conjugation:** Unconjugated

**Modification:** Unmodified


**Constituents:** PBS (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.3 containing 50% glycerol, 0.5% BSA and 0.02% sodium azide

**Research Areas:** Signal Transduction


**Storage & Shipping:** Store at -20°C. Avoid repeated freezing and thawing



Immunocytochemistry analysis of Glucocorticoid Receptor (green) in HeLa using Glucocorticoid Receptor antibody, and DAPI (blue)



Western blot analysis of Glucocorticoid Receptor in rat skeletal muscle lysates using Glucocorticoid Receptor antibody.



Western blot analysis of Glucocorticoid Receptor in K562, 3T3, HeLa lysates using Glucocorticoid Receptor antibody.