

PAWR RABBIT PAB

Cat.#: S213706

Product Name: Anti-PAWR Rabbit Polyclonal Antibody

Synonyms: PAR4, Par-4

UNIPROT ID: Q96IZ0 (Gene Accession - NP_002574)

Background: The tumor suppressor WT1 represses and activates transcription. The protein encoded by this gene is a WT1-interacting protein that itself functions as a transcriptional repressor. It contains a putative leucine zipper domain which interacts with the zinc finger DNA binding domain of WT1. This protein is specifically upregulated during apoptosis of prostate cells.

Immunogen: Synthetic peptide of human PAWR

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 25-100;WB: 1000-3000;ELISA: 1000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG


Purification: Antigen affinity purification

Species Reactivity: Human


Constituents: PBS (without Mg²⁺ and Ca²⁺), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol

Research Areas: Epigenetics and Nuclear Signaling, Cancer


Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Immunohistochemistry analysis of paraffin embedded Human colon cancer tissue using 213706 (PAWR Antibody) at a dilution of 1/60 (Cytoplasm).




In comparison with the IHC on the left, the same paraffin-embedded Human colon cancer tissue is first treated with the synthetic peptide and then with 213706 (Anti-PAWR Antibody) at dilution 1/60.



The image on the left is immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using 213706 (Anti-PAWR Antibody) at a dilution of 1/60.



In comparison with the IHC on the left, the same paraffin-embedded Human ovarian cancer tissue is first treated with synthetic peptide and then with D160694 (Anti-PAWR Antibody) at dilution 1/60.



Gel: 10% SDS-PAGE, Lysate: 30 µg;
Lane 1-2: Hela cells, A549 cells;
Primary antibody: 213706 (PAWR Antibody) at dilution 1/1200;
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;
Exposure time: 10 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010
