

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

PRKD1 RABBIT PAB

Cat.#: S213829

Product Name: Anti-PRKD1 Rabbit Polyclonal Antibody

Synonyms: PKD; PKCM; PRKCM; PKC-MU

UNIPROT ID: Q15139 (Gene Accession - NP_002733)

Background: PRKD1 is a serine/threonine kinase that regulates a variety of cellular functions, including membrane receptor signaling, transport at the Golgi, protection from oxidative stress at the mitochondria,

gene transcription, and regulation of cell shape, motility, and adhesion.

Immunogen: Synthetic peptide of human PRKD1

Applications: ELISA, WB, IHC

Recommended Dilutions: IHC: 50-200;WB: 500-2000;ELISA: 2000-5000

Host Species: Rabbit

Clonality: Rabbit Polyclonal

Isotype: Immunogen-specific rabbit IgG **Purification:** Antigen affinity purification **Species Reactivity:** Human, Mouse, Rat

Constituents: PBS (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.05% Sodium Azide and 40% glycerol


Research Areas: Signal Transduction, Cancer, Metabolism

Storage & Shipping: Store at -20°C. Avoid repeated freezing and thawing




Product Description


Pioneering GTPase and Oncogene Product Development since 2010




Immunohistochemistry analysis of paraffin embedded Human cervical cancer tissue using 213829(PRKD1 Antibody) at a dilution of 1/40(Cytoplasm).



In comparision with the IHC on the left, the same paraffin-embedded Human cervical cancer tissue is first treated with the synthetic peptide and then with 213829(Anti-PRKD1 Antibody) at dilution 1/40.



The image on the left is immunohistochemistry of In comparision with the IHC on the left, the same paraffin-embedded Human breast cancer tissue paraffin-embedded Human breast cancer tissue using 213829(Anti-PRKD1 Antibody) at a dilution of is first treated with synthetic peptide and then 1/40.



with D160911(Anti-PRKD1 Antibody) at dilution 1/40.



Gel: 6%SDS-PAGE, Lysate: 40 µg; Lane 1-2: 293T cells, NIH/3T3 cells; Primary antibody: 213829(PRKD1 Antibody) at dilution 1/550; Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution;

Exposure time: 30 seconds



Product Description

Pioneering GTPase and Oncogene Product Development since 2010