

## CYSTATIN C PAB

### Cystatin C Polyclonal Antibody

**Cat. #:** 21108

**Gene Symbol:** Cystatin C

**Description:** Anti-Cystatin C Rabbit Polyclonal Antibody

**Background:** Cystatin C, belongs to the cystatin family, is an inhibitor of cysteine proteinases, and is thought to serve an important physiological role as a local regulator of this enzyme activity. It is secreted. Cystatin C is expressed in the highest levels in the epididymis, vas deferens, brain, thymus, and ovary and the lowest in the submandibular gland. It is a potential cerebrospinal fluid marker for the diagnosis of Creutzfeldt-Jakob disease.

**Immunogen:** A synthetic peptide from the internal region of Cystatin C, human origin.

**Applications:** ELISA, WB, IHC, IP

**Recommended Dilutions:**

ELISA: 1:100–1:5000

WB: 1:100–1:1000

IHC: 1:100–1:1000

**Concentration:** 0.1 mg/ml

**Host Species:** Rabbit

**Format:** Liquid

**Clonality:** Polyclonal

**Isotype:** IgG

**Purity:** Purified from serum

**Preservative:** No


**Constituents:** PBS (without  $Mg^{2+}$  and  $Ca^{2+}$ ), pH 7.4, 150 mM NaCl, 50% glycerol

**Species Reactivity:** Cystatin C antibody recognizes Cystatin C proteins of vertebrates.

**Storage Conditions:** Store at  $-20^{\circ}C$ . Avoid repeated freezing and thawing

**Western blot:**

**Cystatin C protein**



**WB: Anti-Cystatin C pAb**

**Western blot analysis of recombinant full length Cystatin C protein.**

Purified His-tagged Cystatin C protein (Cat. #10157) with anti-Cystatin C polyclonal anti.