

## HUMAN FZD4 FULL LENGTH PROTEIN

**Cat.#:** 11120

**Product Name:** Human FZD4 Full Length Protein

**Size:** 10 µg, 50 µg and 100 µg

**Synonyms:** CD344; EVRI; FEVR; Fz-4; Fz4; FZD4S; FzE4; GPCR; hFz4

**Target:** FZD4

**UNIPROT ID:** Q9ULV1

**Description:** Human FZD4 full length protein-synthetic nanodisc

**Background:** A member of the frizzled gene family. Members of this family encode seven-transmembrane domain proteins that are receptors for the Wingless type MMTV integration site family of signaling proteins. Most frizzled receptors are coupled to the beta-catenin canonical signaling pathway. This protein may play a role as a positive regulator of the Wingless type MMTV integration site signaling pathway. A transcript variant retaining intronic sequence and encoding a shorter isoform has been described, however, its expression is not supported by other experimental evidence.

**Species/Host:** HEK293

**Molecular Weight:** The human full length FZD4 protein has a MW of 60.3 kDa

**Formulation & Reconstitution:** Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

**Storage & Shipping:** Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

ELISA assay to evaluate FZD4-Nanodisc  
0.2µg Human FZD4-Nanodisc per well




Figure1. Elisa plates were pre-coated with Flag Tag FZD4-Nanodisc (0.2 µg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with FZD4-Nanodisc is 1.843ng/ml.



Figure2. Human FZD4-Nanodisc, Flag Tag on SDS-PAGE