

**HUMAN CD79A PROTEIN, HFC TAG**

目录: 11978

产品名称: Human CD79A Protein

规格: 10 µg, 50 µg and 100 µg

基因符号: IGA;MB-1

**Target:** CD79A

**UNIPROT ID:** P11912

**描述:** Recombinant Human CD79A Protein with C-terminal human Fc tag

**背景:** The B lymphocyte antigen receptor is a multimeric complex that includes the antigen-specific component, surface immunoglobulin (Ig). Surface Ig non-covalently associates with two other proteins, Ig-alpha and Ig-beta, which are necessary for expression and function of the B-cell antigen receptor. This gene encodes the Ig-alpha protein of the B-cell antigen component. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq, Jul 2008]

**Species/Host:** HEK293

**Molecular Weight:** The protein has a predicted molecular mass of 38.7 kDa after removal of the signal peptide. The apparent molecular mass of CD79A-hFc is approximately 35-70 kDa due to glycosylation.

**Molecular Characterization:** CD79A(Leu33-Arg143) hFc(Glu99-Ala330)

**纯化:** The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

**Formulation & Reconstitution:** Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

**储存和运输:** Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.



Figure 1. Human CD79A Protein, hFc Tag on SDS-PAGE under reducing condition.