

HUMAN CD99 PROTEIN, HFC TAG

目录: 11627

产品名称: Human CD99 Protein

规格: 10 µg, 50 µg and 100 µg

基因符号: HBA71;MIC2;MIC2X;MIC2Y;MSK5X

Target: CD99

UNIPROT ID: P14209

描述: Recombinant Human CD99 with C-terminal human Fc tag

背景: The protein encoded by this gene is a cell surface glycoprotein involved in leukocyte migration, T-cell adhesion, ganglioside GM1 and transmembrane protein transport, and T-cell death by a caspase-independent pathway. In addition, the encoded protein may have the ability to rearrange the actin cytoskeleton and may also act as an oncosuppressor in osteosarcoma. This gene is found in the pseudoautosomal region of chromosomes X and Y and escapes X-chromosome inactivation. There is a related pseudogene located immediately adjacent to this locus. [provided by RefSeq, Mar 2016]

Species/Host: HEK293

Molecular Weight: The protein has a predicted molecular mass of 36.2 kDa after removal of the signal peptide. The apparent molecular mass of CD99-hFc is approximately 35–55 kDa due to glycosylation.

Molecular Characterization: CD99(Asp23–Asp122) hFc(Glu99–Ala330)

纯化:: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

Formulation & Reconstitution: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

储存和运输: Store at –20°C to –80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at –80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.



Figure 1. Human CD99 Protein, hFc Tag on SDS-PAGE under reducing condition.