

**HUMAN FZD10 PROTEIN, HFC TAG**

目录: 11446

产品名称: Human FZD10 Protein

规格: 10 µg, 50 µg and 100 µg

基因符号: CD350;FZ-10;Fz10;FzE7;hFz10

**Target:** FZD10

**UNIPROT ID:** Q9ULW2

**描述:** Recombinant Human FZD10 with C-terminal human Fc tag

**背景:** This gene is a member of the frizzled gene family. Members of this family encode 7-transmembrane domain proteins that are receptors for the Wingless type MMTV integration site family of signaling proteins. Most frizzled receptors are coupled to the beta-catenin canonical signaling pathway. Using array analysis, expression of this intronless gene is significantly up-regulated in two cases of primary colon cancer. [provided by RefSeq, Jul 2008]

**Species/Host:** HEK293

**Molecular Weight:** The protein has a predicted molecular mass of 42.2 kDa after removal of the signal peptide. The apparent molecular mass of FZD10-hFc is approximately 35-55 kDa due to glycosylation.

**Molecular Characterization:** FZD10(Ile21-Gly161) hFc(Glu99-Ala330)

**纯化:** The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

**Formulation & Reconstitution:** Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

**储存和运输:** Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human FZD10 Protein, hFc Tag on SDS-PAGE under reducing condition.