

Product Description

Pioneering GTPase and Oncogene Product Development since 2010

HUMAN IL-37 PROTEIN

目录: 12027

产品名称: Human IL-37 Protein 规格: 10 μg, 50 μg and 100 μg

基因符号: Interleukin-37;FIL1 Zeta;IL-1X;Interleukin-1 Family Member 7;IL-1F7;Interleukin-1 Homolog 4;IL-1H;IL-1H4;Interleukin-1 Zeta;IL-1

Zeta;Interleukin-1-Related

Protein;IL-1RP1;Interleukin-23;IL-37;IL37;FIL1Z;IL1F7;IL1H4;IL1RP1

Target: IL-37

UNIPROT ID: Q9NZH6

描述: Recombinant Human Interleukin-37 is produced by our E.coli expression system and the target gene encoding Lys53-Asp218 is expressed.

背景: Human Interleukin family 1 Member 7 (IL1F7) is a member of the Interleukin 1 cytokine family. Five alternatively spliced transcript variants encoding distinct isoforms have been reported with distinct expression profiles. The longest IL1F7 transcript, referred to as IL1F7b or IL1F7 isoform 1, encodes a 218 amino acid residues proprotein containing a 45 amino acid propeptide, which is cleaved to generate mature protein. IL1F7b binds to IL18 Ra with low affinity but does not exert any IL18 agonistic or antagonistic effects. IL1F7b also binds interleukin 18 binding protein (IL-18BP), an inhibitory binding protein of interleukin 18 (IL-18), and subsequently forms a complex with IL18 receptor beta subunit, and through which it inhibits the activity of IL-18.

Species/Host: E.coli

Molecular Weight: 18.7 KDa

Molecular Characterization: Not available

纯化:: Greater than 95% as determined by reducing SDS-PAGE.

Formulation & Reconstitution: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization.

储存和运输: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.



Product Description

Pioneering GTPase and Oncogene Product Development since 2010




Figure 1. Greater than 95% as determined by reducing SDS-PAGE.